

Risk Assessment

Horse & Groom Court

What are the hazards?	Who might be harmed and how?	Controls	Additional Controls	Action by whom	Action by when	Done
Kettle	Employees & Guests -Electricution & Burning	Permanently wired. User guide supplied.	None.	N/A	N/A	N/A
Toaster	Employees & Guests -Electricution & Burning	Permanently wired. User guide supplied.	None.	N/A	N/A	N/A
Microwave	Employees & Guests -Electricution & Burning	Permanently wired. User guide supplied.	None.	N/A	N/A	N/A
Cooking Ring	Employees & Guests -Electricution & Burning	Permanently wired. User guide supplied.	None.	N/A	N/A	N/A
Hotwater Tap	Employees & Guests -Scolding	Marked as hot (red). Temperature set from boiler (restricted)	None.	N/A	N/A	N/A
Bunks	Guests -Falling	Bed rails and appropriate ladder.	None.	N/A	N/A	N/A
Showers	Guests -Scolding	Marked as hot (red). Temperature set from boiler (restricted)	None.	N/A	N/A	N/A
Hotwater Tap	Employees & Guests -Scolding	Marked as hot (red). Temperature set from boiler (restricted)	None.	N/A	N/A	N/A
Stairs	Employees & Guests -Trip Hazard	Anti-slip paint, stair nosing, hand rail and balustrade.	None.	N/A	N/A	N/A
Garden Steps	Employees & Guests -Trip Hazard	Noticeable (Different material & colour to rest of outside flooring).	None.	N/A	N/A	N/A
Chimnea	Guests -Burning	Appropriate equipment supplied.	None.	N/A	N/A	N/A

ASSESSMENT CARRIED OUT ON: 01.02.08 BY: R.Merrett
 TO BE REVIEWED: 01.02.09